

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	jp-10231711-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:02
S2	0	jp-0521602-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:45
S3	0	jp-521602-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:45
S4	0	jp-5021602-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:45
S5	2	jp-05021602-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:49
S6	3	"5881691"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:50
S7	486	yamamoto-ken.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:51
S8	6	S7 and "123"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:51
S9	5	yamamoto-ken-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:51
S10	23	maeno-eiji.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:52
S11	0	maeno-eiji-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 14:52
S12	3072	123/90.39,90.43-90.45,90.47,90.48, 90.52-90.54.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:19

S13	1043	lash near2 adjust?r	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:19
S14	276	S12 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:20
S15	2	S14 and ball adj joint	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:21
S16	0	S14 and ((lash near2 adjust?4) not with (fluid\$6 or hydraulic\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:23
S17	0	S12 and ((lash near2 adjust?4) not with (fluid\$6 or hydraulic\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:22
S18	0	S14 and ((lash near2 adjust?4) with (screw or nut) near3 serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:24
S19	3	S14 and ((screw or nut) near3 serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:54
S20	3	S12 and ((screw or nut) near3 serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:27
S21	3	S12 and ((screw or nut) with serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:45
S22	6	S12 and ((screw or nut) with notch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:29
S23	7	lash adj adjust?r and ((screw or nut) with serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:48
S24	4	lash adj adjust?r and ((screw or nut) with notch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:47

S25	2292	((screw or nut) with serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:48
S26	5	((screw or nut) with serrat\$3) same ball adj joint	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:52
S27	270	411/180.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:52
S28	2	S27 and "123"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:52
S29	3	S14 and ((screw or bolt or nut) near3 serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:54
S30	5	S12 and ((screw or bolt or nut) near3 serrat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 16:54
S31	324	(female or male) near2 thread\$3 with flank	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 17:01
S32	75	(female or male) near2 thread\$3 with (flank near2 angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 17:02
S33	12	(female or male) near2 thread\$3 with (flank near2 angle) with pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 17:04
S34	11	(female or male) near2 thread\$3 with teeth with pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 17:06
S35	25574	ball same (bolt or nut or screw or thread\$3) with (pressur\$3 or bear\$3 or forc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 17:08
S36	22	S12 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/09/29 17:08
S37	3	("4981117").URPN.	USPAT	OR	ON	2004/09/29 17:13

S38	11	("2308858"   "3024775"   "3270726"   "3376860"   "4548168"   "4706620"   "4867112").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/09/29 17:13
-----	----	---	------------------------------	----	----	------------------